



Material Safety Data Sheet

Section 1 - Chemical Product and Company Identification

Product Identifier		WHMIS Classification	
VPI NC-2 Nose Caulking Compound Part B		D2A, D1B, E	
Product Use			
Stair Tread Cover Adhesive (Two-Component Polyurethane Adhesive)			
Manufacturer's Name		Supplier's Name	
VPI Corporation		VPI Corporation	
Street Address		Street Address	
3123 S. 9th Street, P.O. Box 0451		3123 S. 9th Street, P.O. Box 0451	
City	State	City	State
Sheboygan	Wisconsin	Sheboygan	Wisconsin
Postal Code	Emergency Telephone	Postal Code	Emergency Telephone No.
53082	CHEMTREC (800) 424-9300	53082	CHEMTREC (800) 424-9300
Date MSDS Prepared		MSDS Prepared By	Phone Number
11-Dec-12		James W Rosenthal	(800) 874-4240

Section 2 - Composition / Information on Ingredients

Hazardous Ingredients(Specific)	%	CAS Number	LD 50 of Ingredient (specify species and route)	Lc 50 of Ingredient (specify species)
C-18 unsaturated DIMER Condensate	10--30	68410-23-1	N/A	N/A
PHENOL 2, 4, 6-T (DIMETHLAMINO)	5--10	90-72-2	N/D	N/D
DIETHYLENE TRIAMINE	5--10	111-40-0	N/D	N/D
4.4-1 METHYLETHYLIDENE BIS	1--5	80-05-7	N/A	N/A

Section 3 - Hazards Identification

Route of Entry	Skin Contact	Skin Absorption	Eye Contact	Inhalation	Ingestion
	X	X	X	X	X
Emergency Over view	Contact a physician for detailed instructions				
WHMIS Symbols	D2A , D1B, E				
Potential Health Effects	NONE				
Route of Entry	Skin Contact	Skin Absorption	Eye Contact	Inhalation	Ingestion
	Corrosive	N/D	Corrosive	Irritating	Nausea

Section 4 - First Aid Measures

Skin Contact	Wash with soap and water
Eye Contact	Flush with water, minimum 15 minutes hold eyelids open. Contact a physician.
Inhalation	Move the person to fresh air, If not breathing, get immediate medical attention.
Ingestion	DO NOT INDUCE VOMITING, Contact a physician or a poison control center immediately.

Section 5 - Fire Fighting Measures

Flammable	Wear complete protective equipment including a self-contained breathing apparatus.							
Yes	N/A	No	X	If yes, under which conditions?				N/A
Extinguishing Media	Water	X	Foam	X	Dry Chemical	X	Co2	X
Means of Extraction Swept, shoveled or vacuumed								
Flash point © and method			Upper Flammable Limit (%by volume)			Lower Flammable Limit (%by Volume)		
N/D			N/D			N/D		
Auto ignition Temperature ©			Explosion Data - Sensitivity to Impact			Explosion - Sensitivity to static Discharge		
Hazardous Combustion Products								
NFPA								

Section 6 - Accidental Release Measures

Leak and Spill Procedure	
Wear protective equipment.	
Contain by mounding the soil or other non-combustible absorbent materials around the spill and put into a DOT approved waste container.	

Section 7 - Handling and Storage

Handling Procedure and Equipment	Safety glasses, impervious neoprene gloves nitrile gloves and safety shoes
Storage Requirements	
Cool dry area	

Section 8 - Exposure Control / Personal Protection

Exposure Limits	N/A	ACGIH TLV	N/A	OSHA PEL	N/A	Other	N/A			
Specific Engineering Controls (Such as Ventilation, enclosed process)										
N/A										
Personal Protective Equipment	Gloves		Respirator		Footware		Eye		Clothing	
	X		X		X		X		X	
If yes please specify type										
Neoprene gloves or nitrile gloves, impermeable overalls and boots, respirator, ect.										

Section 9 - Physical and Chemical Properties

Physical State	Odour and Appearance	Odour Threshold (ppm)
Yellow, light odor of resin	Negligible	N/D
Specific Gravity	Vapour Density (air=1)	Vapour Pressure (mmHg)
0.92	>1	N/D
Evaporation Rate	Boiling Point @	Freezing Point (c)
N/A	>100	N/D
pH	Coefficient of Water / Oil Distribution	(Solubility in Water)
N/A	N/A	Not soluble

Section 10 - Stability and Reactivity

Chemical Stability	If no, under which conditions?
Yes	N/A
Incompatibility with other substances	If yes, which ones?
Yes	Base and Acid
Reactivity and under what conditions?	
Yes	Uncontrolled mix with certain resins.

Section 11 - Toxicological information

Effects of Acute Exposure			
Effects of Chronic Exposure	Prolonged exposure to high concentration of fumes may cause nausea, vomiting nose and throat irritation, eye and skin irritations.		
Irritancy of product	N/A	Respiration sensitization	Irritating to respiratory tract.
Skin sensitization	corrosive to the skin	Carcinogenicity - ACGIH	No
Carcinogenicity - IARC	N/A	Teratogenicity	N/D
Reproductive Toxicity	N/A	Mutagenicity	N/D
Embrototoxicity	N/A		
Name of synergistic products / effects	N/A		

Section 12 - Ecological Information

Aquatic Toxicity	N/A
------------------	-----

Section 13 - Disposal Considerations

Waste Disposal	Thoroughly mix part A and B together allowing to cure. Hardened material can be Disposed of in land fill or trash. Disposed in accordance with local, state and federal environmental regulations.
----------------	--

Section 14 - Transport Information

Special Shipping Information Corrosive Material, Class 8 UN 1760, PG.II

TDG	N/D	DOT	N/D
IMO	N/D	ICAO	N/D

Section 15 - Regulatory Information

WHMIS Classification	Not Controlled	OSHA	N/A
SERA	N/A	TSCA	N/A

Section 16 - Other Information

VPI Corporation has compiled the information and recommendations contained in this material safety data sheet from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the MSDS was prepared. No warranty, guaranty or representation is made as to the correctness or sufficiency of this information. The user of this product must decide for himself what safety measures are necessary to safely use this product, either alone or in combination with other products. N/A: Not Available N/D: Not determined N/E Not Established



MSDS NC-2 Nose Caulking Part B 13 4-12-13